



## Model Selection Guide

### XYR 5000 Wireless Base Radio

Model Selection Guide  
34-XY-16U-05 Issue 0

Honeywell Confidential & Proprietary

#### Instructions

- Select the desired key number. The arrow to the right marks the selection available.
- Make one selection from Table I. Select Table II options as desired.

Key Number      I (Optional)  
[ ] - [ ]

| KEY NUMBER                        | Selection | Availability |
|-----------------------------------|-----------|--------------|
| Description                       |           |              |
| Wireless Base Radio (Dual Output) | WBR       | ▼            |

#### TABLE I - OPTIONS

|  |                    |   |
|--|--------------------|---|
| 2" Pipe Mounting Bracket                                 | MB                 | • |
| 120/240 VAC to 24 VDC 15 W DIN Rail Mounted Power Supply | PW                 | • |
| RS-485 to RS-232 External Converter                      | RS                 | • |
| DIN Rail mounted Quad 4-20 mA Output Module              | Pricing<br>Table 1 | • |

Example: WBR-RS,A1    List price = \$1630

#### Pricing Table 1

Select option based on number of required outputs and enter option in Table I - Options

| Number of analog outputs | Option | Price (US\$) |
|--------------------------|--------|--------------|
| 4                        | A1     | 350          |
| 8                        | A2     | 700          |
| 12                       | A3     | 1050         |
| 16                       | A4     | 1400         |
| 20                       | A5     | 1750         |
| 24                       | A6     | 2100         |
| 28                       | A7     | 2450         |
| 32                       | A8     | 2800         |
| 36                       | A9     | 3150         |
| 40                       | AA     | 3500         |
| 44                       | AB     | 3850         |
| 48                       | AC     | 4200         |



## Model Selection Guide

### XYR 5000 Wireless Base Radio

Model Selection Guide  
34-XY-16U-05 Issue 0

Honeywell Confidential & Proprietary

**Note:** A "Site Survey" performed by Honeywell is required in order to guarantee wireless link performance

### Site Survey Services

#### Instructions

Select the desired key number.

Key Number

-----

#### KEY NUMBER

#### Selection

| Description                      | Mesurement Points to Evaluate |       |
|----------------------------------|-------------------------------|-------|
| Site Survey/ Applicability Study | Less than 10                  | SVC11 |
| Site Survey/ Applicability Study | 10 to 19                      | SVC12 |
| Site Survey/ Applicability Study | 20 to 29                      | SVC13 |
| Site Survey/ Applicability Study | 30 to 39                      | SVC14 |
| Site Survey/ Applicability Study | 40 to 49                      | SVC15 |
| Site Survey/ Applicability Study | over 50                       | SVC16 |

**Industrial Automation and Control Division, 2500 West Union Hills Drive, Phoenix, AZ 85027**

Printed in U.S.A. Copyright 2003 - Honeywell Inc.